

AMENDMENTS TO THE CLAIMS

Please amend the claims as follows:

1. (Currently Amended) A data communication system in which a digital camera and a portable communication apparatus are capable of communicating data with each other, a housing of said digital camera is separate from a housing of said portable communication apparatus and said portable communication apparatus is capable of communicating with another communication apparatus via a network, wherein said portable communication apparatus includes:

a first receiving unit for receiving data transmitted via a the network;

a text display unit for displaying text represented by text data contained in the data received by said first receiving unit;

a first determination unit for determining whether the data received by said first receiving unit contains image data representing an image; and

an image transmitting unit, which is responsive to a determination that the received data contains the image data,

for transmitting the image data contained in the received data to said digital camera; and

said digital camera includes:

a second receiving unit for receiving the image data transmitted from said image transmitting unit of said portable communication apparatus; and

an image display unit for displaying ~~an~~the image represented by the image data received by said second receiving unit.

2. (Currently Amended) The system according to claim 1, wherein said portable communication apparatus further includes a type-data transmitting unit for transmitting a type data, which represents ~~the~~a type of image, to said digital camera; and

said digital camera further includes a second determination unit for determining whether ~~an~~the image represented by the image data can be displayed on said image display unit based upon the type data transmitted from said portable communication apparatus.

3. (Currently Amended) The system according to claim 2, wherein said digital camera further includes a determination-

result transmitting unit for transmitting determination-result data representing a result of the determination by said second determination unit to said portable communication apparatus; and

said image transmitting unit of said portable communication apparatus responds to ~~an indication by the~~ determination-result data transmitted from said determination-result transmitting unit to the effect that the image represented by the image data can be displayed on said image display unit by transmitting ~~this~~ the image data to said digital camera.

4. (Original) The system according to claim 1, wherein said portable communication apparatus further includes a transmit-command input unit for inputting an image-transmit command; and

said image transmitting unit transmits the image data to said digital camera in response to input of the transmit command from said transmit-command input unit.

5. (Currently Amended) A portable communication apparatus capable of communicating data with a digital camera and of communicating with another communication apparatus via a network,

and a housing of said portable communication apparatus is separate from a housing of said digital camera, comprising:

a receiving unit for receiving data transmitted via ~~a~~the network;

a text display unit for displaying text represented by text data contained in the data received by said receiving unit;

a determination unit for determining whether the data received by said receiving unit contains image data representing an image; and

an image transmitting unit, which is responsive to a determination that the received data contains the image data, for transmitting the image data contained in the received data to said digital camera.

6. (Currently Amended) A digital camera capable of communicating data with a portable communication apparatus that is capable of communicating with another communication apparatus via a network, and a housing of said digital camera separate from a housing of said portable communication apparatus, wherein image data representing an image that has been extracted from data received by said portable communication apparatus is

transmitted from said portable communication apparatus to said digital camera, said digital camera comprising:

a receiving unit for receiving the image data transmitted from said portable communication apparatus; and

an image display unit for displaying ~~an~~ the image represented by image data received by said receiving unit.

7. (Currently Amended) A method of controlling operation of a portable communication apparatus capable of communicating data with a digital camera and of communicating with another communication apparatus via a network, and a housing of said portable communication apparatus is separate from a housing of said digital camera comprising the steps of:

receiving data transmitted via the network;

displaying text, which is represented by text data contained in the received data, on a text display unit;

determining whether the received data contains image data representing an image; and

in response to a determination that the received data contains the image data, transmitting the image data contained in the received data to the digital camera.